



8115 Loop 540, Beasley, TX 77417
Toll Free: 1-855-FINORIC (1-855-346-6742)
Email: info@finoric.com • www.finoric.com

FinFoam-D, SDS, Safety Data Sheet **MSDS Sheet, Material Safety Data Sheet**

1. Product Identification

Product Name: FinFoam-D

Recommended uses and uses advised against (if any): Industrial and Hydraulic Fracturing.

SUPPLIER

Company: Finoric LLC

Address: 8115 Loop 540, Beasley, Texas, 77417 USA

In case of emergency contact:

InfoTrac

US: 1-800-535-5053

International: 352-323-3500

2. Hazards Identification

GHS, Globally Harmonized System Classification in accordance with 29 CFR 1910 Classification according to Regulation (EC) No 1272/2008

Flammable liquids Category 4



Acute toxicity, oral Category 4

Acute toxicity, inhalation Category 4

Serious eye damage : Category 1

Hazardous to the aquatic environment, acute hazard Category 2

Labeling according GHS USA & Regulation (EC) No 1272/2008

GHS Label Elements	GHS Label Elements
	
Health Hazard	Corrosive

Signal Words: Danger



Hazard statement(s)

H227: Combustible liquid.

H302 + H312 + H332: Harmful if swallowed, in contact with skin or if inhaled

H318: Causes serious eye damage

H401: Toxic to aquatic life

Precautionary statement(s)

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking.

P260: Do not breathe dust/fume/gas/mist/vapors/spray.

P264: Wash ... thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+312+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a doctor/ physician if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor/physician.

P308+313: IF exposed or concerned: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P403+235: Store in a well ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to authorized agents only.

3. Composition/Information on Ingredients

Hazardous Ingredients listed	CAS No	Content
Proprietary Non-Haz Surfactant	Confidential	40-65%
EGMBE = Ethylene Glycol Mono Butyl Ether	111-76-2	3-10%
Water and Non Hazardous Ingredients	-	20-50%

4. First Aid Measures

Always seek medical attention after first aid measures are provided.

Inhalation: If inhaled, remove the victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and get medical attention immediately.



8115 Loop 540, Beasley, TX 77417
Toll Free: 1-855-FINORIC (1-855-346-6742)
Email: info@finoric.com • www.finoric.com

Ingestion: Do not induce vomiting unless as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing and shoes before reuse.

Eye Contact: Remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Notes to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Fire: Combustible.

Fire Extinguishing Media: Dry chemical, alcohol resistant foam, fog or carbon dioxide. Water can be used to cool and protect exposed material. Do not direct a solid stream of water on spilled material. Use flooding amounts of water as a fog. Use water to cool containers exposed to fire. A solid stream of water will spread the burning material.

Products of Combustion: These products are toxic fumes, carbon oxides (CO, CO₂), sulfur oxides (SO_x) etc.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

Protective Equipment: Gloves. Synthetic apron. Vapor and dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

6. Accidental Release Measures

Personal precautions, protective equipment, environmental precautions and emergency procedures: Avoid breathing dust/fumes/gas/mist/vapors/spray. Use individual protective equipment (waterproof boots, suitable protective clothing, safety glasses, etc). Restrict unprotected personnel from the area. Prevent any contact with hot surfaces. Do not approach facing the wind. Do not touch the spilled material. Keep away from drains, surface and groundwater and soil.

Methods and materials used for containment Cleanup procedures and Storage:

Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container.

Large Spill: Contain spilled material. Stop leak if without risk. Avoid breathing dust, mist or gas. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Ensure adequate ventilation. Evacuate personnel to safe areas. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Avoid exposure - obtain special instructions before use.



8115 Loop 540, Beasley, TX 77417
Toll Free: 1-855-FINORIC (1-855-346-6742)
Email: info@finoric.com • www.finoric.com

7. Handling and Storage

Precautions for safe handling: Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Wash thoroughly after handling. Do not drink, eat or smoke while handling. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid breathing dust/fumes/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation. Use individual protective equipment (waterproof boots, suitable protective clothing, safety glasses, etc). Prevent any contact with hot surfaces. Containers of this material may be hazardous when empty since they retain product residues.

Conditions for safe storage, including any incompatibilities: Store in cool, dry and ventilated area away from heat sources and protected from sunlight in tightly closed original container. Keep air contact to a minimum. Store protected from heat, sparks and ignition sources and incompatible materials. Avoid contact with skin and eyes. Avoid inhalation of dust/mist/vapor. Do not store with incompatible materials like heat, strong oxidizers, strong bases. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge. Do not store near potential sources of ignition. Employ grounding, venting and explosion relief provisions in accord with accepted engineering practices.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

Not established for Witconate AOS

TWA 20.00 ppm USA. ACGIH Threshold Limit Values (TLV) for Ethylene Glycol Mono Butyl Ether

Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved): For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerin, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.



8115 Loop 540, Beasley, TX 77417
Toll Free: 1-855-FINORIC (1-855-346-6742)
Email: info@finoric.com • www.finoric.com

9. Physical and Chemical Properties

Appearance: Light yellow liquid.

Odor: Mild type typical odor.

Odor threshold: Not available.

pH: Not available.

Relative density: 1 to 1.1

Melting point/freezing point: Not available.

Initial boiling point and boiling range: Not available.

Flash point: Not available.

Auto-ignition temperature: Not available.

Decomposition temperature: Not available.

Upper/lower flammability or explosive limits: Not available.

Vapor pressure: Not available.

Vapor density: Not available.

Evaporation rate: Not available.

Flammability (solid, gas): Not available.

Partition coefficient: n-octanol/water: Not available.

Solubility: Soluble in water.

Viscosity: Not available.

10. Stability and Reactivity

Stability: It is stable under ordinary conditions of use and storage.

Hazardous Decomposition Products: Fumes with carbon dioxide, carbon monoxide sulfur oxides (SO_x) etc. may form when heated to decomposition.

Hazardous Polymerization: Will not occur.

Incompatibilities: Heat, Strong oxidizers, Strong bases.

Conditions to Avoid: Heat, dusting, sparks and incompatibles.

11. Toxicological Information

Oral Toxicity for EGMBE = Ethylene Glycol Mono Butyl Ether:

LD50 Oral - Rat - male - 880 mg/kg

LD50 Dermal - Rabbit - male - 1,060 mg/kg

LD50 Intraperitoneal - Rat - 220 mg/kg

LD50 Intravenous - Rat - 307 mg/kg

Carcinogenicity: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, OSHA, NTP or ACGIH..

Mutagenic Effects: Not available.

Developmental Toxicity: Not available.

Reproductive Effects: No information available.



8115 Loop 540, Beasley, TX 77417
Toll Free: 1-855-FINORIC (1-855-346-6742)
Email: info@finoric.com • www.finoric.com

12. Ecological Information

Eco toxicological data for Ingradient1:

Toxicity to fish: LC50: > 1 - 10 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50: > 1 - 10 mg/l Exposure time: 48 h

Eco toxicological data for EGMBE = Ethylene Glycol Mono Butyl Ether:

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 1,474 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates: Immobilization EC50 - Daphnia magna (Water flea) - 1,550 mg/l - 48 h

The material is readily biodegradable.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused material in accordance with legal requirements.

14. Transport Information

DOT (US), IMDG, IATA: Not regulated.

15. Regulatory Information

SARA 311/312 Hazards: Acute Health Hazard

SARA 302 : SARA 302: Not subject to reporting requirements of SARA Title III, Section 302.

SARA 313: SARA 313: Not listed.

16. Other Information

Prepared by AJK on 27 November 2019 - Printed on: 21 February 2020

DISCLAIMER: The information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed correct as of the date hereof. It is compiled from various sources and it is not necessarily all inclusive nor fully adequate in every circumstance. In addition, these suggestions should not be confused with nor followed in violation of applicable laws, regulations, rules or insurance requirements applicable. This MSDS sheet is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.